

SHOULDER PAIN

The shoulder is one of the most complex joint systems in the body. Shoulder problems are common. Most cases of shoulder pain arise from soft tissues such as tendons and muscles, and are not caused by arthritis.

How does the shoulder work?

The shoulder is the most mobile joint in the body and it achieves this through movements at various sites, including the acromioclavicular joint (ACJ), scapula (shoulder blade), glenohumeral joint (GHJ) and the spine.

A group of muscles called the *rotator cuff* plays a very important part in the working of the shoulder, helping to move it and hold the joint together. Problems with the rotator cuff can cause several painful conditions.




Figure 1. Shoulder joint region showing rotator cuff muscles and tendons

Where is the pain coming from?

Pain can come from a number of sites in this complex region of the body. It may not even be coming from the shoulder complex at all, as it may be referred, especially from the spine.

Treatment

Shoulder complaints that are dealt with promptly are more likely to settle quickly, with a full return to normal strength.

The treatment will depend upon the specific diagnosis, but the initial things that you can do yourself are:

Relative Rest

Mild cases of shoulder problems can be treated at home. The priority is to rest the injured area by stopping or changing the activity causing the problem. To relieve symptoms you can:

Apply an ice pack - for a maximum of 20 minutes. A bag of frozen peas wrapped in a damp cloth works well because it moulds to the shape of the arm. Ensure that the skin does not change colour (the sign of an ice burn). If the skin has turned bright pink or red after a few minutes, stop using the ice. Applying a film of oil (cooking oil will do) to the skin before applying the pack helps to avoid burning the skin.

Heat – for example a hot water bottle in a cover – can also help to settle muscle spasm and alternating with ice can be commonly helpful.

Anti-inflammatory drugs may help. For example, Ibuprofen tablets taken according to the directions on the packet, up to the maximum daily dose. Avoid these if you have a history of indigestion or stomach ulcers, and possibly if you have asthma. Paracetamol is an alternative to anti-inflammatories.

Exercises

Exercise are often useful, but will depend upon the type of shoulder complaint you have.

You should aim for a balance between rest and activity to prevent the shoulder from stiffening. One good exercise for all shoulder problems is called a pendulum exercise (see Figure 2). Stand with your good hand resting on a table. Let your other arm hang down and try to swing it gently backwards and forwards and in a circular motion. Another good exercise is to use your good arm to help lift up your painful arm.



Figure 2. Pendulum exercise. Stand supporting yourself on a table with your good hand. Let your other arm hang down and swing it backwards and forwards and in a circular motion.

Try to avoid the movements that are most painful, especially those that hold your arm away from your body and above shoulder height for prolonged periods. When lifting your arm up you can reduce the strain or pull on your shoulder by remembering the following points:

- Keep your elbow bent and in front of your body.
- Keep your palm facing the ceiling when you reach up.
- To lower your arm, bend your elbow, bringing your hand nearer your body.

Check your posture. It can be tempting to sit leaning forwards with the arm held tightly by your side. This position can make the problem worse, especially if some of the pain is coming from your neck. When sitting, try to keep a pillow or cushion behind your lower back and your arm

supported on a cushion on your lap. Some people find that placing a cushion or rolled towel under the armpit and gently squeezing onto it can ease some of their pain.

If your shoulder is painful to lie on, try the following positions to reduce the discomfort:

- Lie on your good side with a pillow under your neck. Use a folded pillow to support your painful arm in front of your body. Another pillow behind your back can stop you rolling back onto your painful side.
- If you prefer to sleep on your back, use one or two pillows under your painful arm to support it off the bed.

Seeing a doctor

Shoulder pain should always be taken seriously. So, if these approaches are not successful, see a doctor to ensure the diagnosis is correct and to progress treatment.

Many different shoulder problems can be diagnosed on the basis of listening to the story and a good clinical examination. A diagnostic ultrasound is also very useful and x-rays may also be useful. An MRI scan and/or blood tests may also be indicated. The doctor will also want to rule out referred pain, that is a problem elsewhere causing pain in the shoulder.

Other treatments:

Medications: Stronger types or doses of anti-inflammatories or other medications may be prescribed.

Injection therapies may be indicated. There are various forms of injections used now that your doctor may discuss with you.

Shock wave and radial wave therapy are forms of ultrasound/high energy therapy that can relieve the pain from the condition.

The vast majority of shoulder problems do not need surgical intervention. However, when there is a torn tendon, a cartilage injury or severe arthritis, AND where no improvement has been obtained after non-surgical approaches, then surgery may be an option.

Physiotherapy is an important aspect of treatment and will focus on exercises that promote resolution of your complaint and prevention of recurrence.